

Arolla references

July 18, 2005

References

- Arnold, N.: 2005, Investigating the sensitivity of glacier mass-balance/elevation profiles to changing meteorological conditions: Model experiments for Haut Glacier DArolla, Valais, Switzerland, *Arctic, Antarctic, and Alpine Research* **37**(2), 139–145.
- Arnold, N., Richards, K., Willis, I. and Sharp, M.: 1998, Initial results from a distributed, physically based model of glacier hydrology, *Hydrological Processes* **12**, 191–219.
- Arnold, N. S., Willis, I. C., Sharp, M. J., Richards, K. S. and Lawson, W. J.: 1996, A distributed surface energy-balance model for a small valley glacier. I. Development and testing for Haut Glacier d’Arolla, Valais, Switzerland, *Journal of Glaciology* **42**, 77–89.
- Bottrell, S. H. and Tranter, M.: 2002, Sulphide oxidation under partially anoxic conditions at the bed of the Haut Glacier d’Arolla, Switzerland, *Hydrological Processes* **16**, 2363–2368.
- Brock, B., Pellicciotti, F., Strasser, U., Burlando, P., Funk, M. and Corripio, J.: 2003, Do short term albedo variations matter to glacier melt models?, *EGS - AGU - EUG Joint Assembly, Abstracts from the meeting held in Nice, France, 6 - 11 April 2003, abstract #12578* pp. 12578–+.
- Brock, B. W.: 2004, An analysis of short-term albedo variations at haut glacier d’arolla, switzerland, *Geografiska Annaler* **86A**(1), 53–65.
- Brock, B. W., Willis, I. C. and Sharp, M. J.: 2000, Measurements and parameterization of albedo variations at Haut Glacier d’Arolla, Switzerland, *Journal of Glaciology* **46**(155), 675–688.
- Brock, B. W., Willis, I. C., Sharp, M. J. and Arnold, N. S.: 2000, Modelling seasonal and spatial variations in the surface energy balance of Haut Glacier d’Arolla, Switzerland, *Annals of Glaciology, vol.31, pp.53-62* **31**, 53–62.
- Brown, G. H. and M. Tranter: 1990, Hydrograph and chemograph separation of bulk meltwaters draining the upper Arolla Glacier, Valais, Switzerland, in H. Lang and A. Musy (eds), *Hydrology in mountainous regions I*, IAHS Publication No 193, International Association of Hydrological Sciences, pp. 429–437.
- Brown, G. H., Sharp, M. J., Tranter, M., Gurnell, A. M. and Nienow, P. W.: 1994, Impact of post-mixing chemical reactions on the major ion chemistry of bulk meltwaters draining the Haut Glacier d’Arolla, Valais, Switzerland, *Hydrological Processes* **8**(5), 455–480.
- Brown, G. H., Sharp, M. and Tranter, M.: 1996a, Subglacial chemical erosion: seasonal variations in solute provenance, Haut Glacier d’Arolla, Valais, Switzerland, *Annals of Glaciology, vol.22, pp.25-31* **22**, 25–31.
- Brown, G. H., Sharp, M. and Tranter, M.: 1996b, Subglacial chemical erosion: seasonal variations in solute provenance, Haut Glacier d’Arolla, Valais, Switzerland, *Annals of Glaciology* **22**, 25–31.
- Clifford, N. J., Richards, K. S., Brown, R. A. and Lane, S. N.: 1995, Scales of variation of suspended sediment concentration and turbidity in a glacial meltwater stream, *Geografiska Annaler* **77A**(1-2), 45–65.

- Copland, L., Harbor, J., Gordon, S. and Sharp, M.: 1997, The Use of Borehole Video in Investigating the Hydrology of a Temperate Glacier, *Hydrological Processes* **11**, 211–224.
- Copland, L., Harbor, J., Minner, M. and Sharp, M.: 1997, The use of borehole inclinometry in determining basal sliding and internal deformation at Haut Glacier d’Arolla, Switzerland, *Annals of Glaciology* **24**, 331–337.
- Corripio, J., Strasser, U., Burlando, P., Funk, M., Pellicciotti, F. and Brock, B.: 2002, Comparison of a time series of snow albedo fields derived from ageing curve parameterization and 35mm terrestrial photography for Haut Glacier Arolla, Switzerland., *Geophysical Research Abstracts, abstracts of the European Geophysical Society 27th General Assembly, Nice, France, 21–26 April, 2002*, Vol. 4. <http://www.cosis.net/abstracts/EGS02/00138/EGS02-A-00138-1.pdf>.
- Encrenaz, T., Greathouse, T., Bezdard, B., Atreya, S. and Richter, M.: 2002, A Search For H₂O In The Martian Atmosphere, *EGS XXVII General Assembly, Nice, 21-26 April 2002, abstract #1900* **27**, 1900–+. Remotely connected to Arolla: model used SN THERM is tested in Arolla.
- Fischer, U. H. and Hubbard, B.: 1999, Subglacial sediment textures: Character and evolution at Haut Glacier d’Arolla, Switzerland, *Annals of Glaciology* **28**, 241–246.
- Fox, A. M., Willis, I. C. and Arnold, N. S.: 2003, Development and testing of a distributed snowmelt and runoff model for supraglacial snowpacks, *EGS - AGU - EUG Joint Assembly, Abstracts from the meeting held in Nice, France, 6 - 11 April 2003, abstract #5962* pp. 5962–+.
- Gomez, B. and Small, R. J.: 1985, Medial moraines of the Haut Glacier d’Arolla, Valais, Switzerland: debris supply and implications for moraine formation, *Journal of Glaciology* **31**, 303–307.
- Goodsell, B., Hambrey, M. J. and Glasser, N. F.: 2002, Formation of band ogives and associated structures at Bas Glacier d’Arolla, Valais, Switzerland, *Journal of Glaciology* **48**(161), 287–300.
- Gordon, S., Sharp, M., Hubbard, B., Smart, C., Ketterling, B. and Willis, I.: 1998, Seasonal reorganization of subglacial drainage inferred from measurements in boreholes, *Hydrological Processes* **12**, 105–133.
- Gordon, S., Sharp, M., Hubbard, B., Willis, I., Smart, C., Copland, L., Harbor, J. and Ketterling, B.: 2001, Borehole drainage and its implications for the investigation of glacier hydrology: Experiences from Haut Glacier d’Arolla, Switzerland, *Hydrological Processes* **15**(5), 797–813.
- Gurnell, A. M., Clark, M. J. and Hill, C. T.: 1990, The geomorphological impact of modified river discharge and sediment transport regimes downstream of hydropower scheme meltwater intake structures, in R. O. Sinniger and M. Monbaron (eds), *Hydrology in mountainous regions II*, IAHS Publication No 194, International Association of Hydrological Sciences, pp. 165–170.
- Gurnell, A. M., Clark, M. J. and Hill, C. T.: 1992, Analysis and interpretation of patterns within and between hydroclimatological time series in an alpine glacier basin, *Earth Surface Processes and Landforms* **17**(8), 821–839.
- Gurnell, A. M., Clark, M. J., Hill, C. T. and Greenhalgh, J.: 1992, Reliability and representativeness of a suspended sediment concentration monitoring programme for a remote alpine proglacial river, in J. Bolen et al. (eds), *Erosion and sediment monitoring programmes in river basins. Proceedings international symposium, Oslo 1992*, IAHS Publication No 210, International Association of Hydrological Sciences, pp. 191–200.

- Gurnell, A. M., Hodson, A., Clark, M. J., Bogen, J., Hagen, J. O. and Tranter, M.: 1994, Water and sediment discharge from glacier basins: an Arctic and Alpine comparison. proceedings symposium camberra 1994, *Variability in stream erosion and sediment transport*, IAHS Publication No 224, International Association of Hydrological Sciences, pp. 325–334.
- Harbor, J., Sharp, M., Copland, L., Hubbard, B., Nienow, P. and Mair, D.: 1997, Influence of subglacial drainage conditions on the velocity distribution within a glacier cross section, *Geology* **8**, 739–742.
- Hubbard, A., Blatter, H., Nienow, P., Mair, D. and Hubbard, B.: 1998, Comparison of a three-dimensional model for glacier flow with field data from Haut Glacier d’Arolla, Switzerland, *Journal of Glaciology* **44**(147), 368–378.
- Hubbard, A., Willis, I., Sharp, M., Mair, D., Nienow, P., Hubbard, B. and Blatter, H.: 2000, Glacier mass–balance determination by remote sensing and high resolution modelling, *Journal of Glaciology* **46**(154), 491–498.
- Hubbard, B., Binley, A., Slater, L., Middleton, R. and Kulesa, B.: 1998, Inter-borehole electrical resistivity imaging of englacial drainage, *Journal of Glaciology* **44**(147), 429–434.
- Hubbard, B. P., Sharp, M. J., Willis, I. C., Nielsen, M. K. and Smart, C. C.: 1995, Borehole water-level variation and the structure of the subglacial hydrological system of Haut Glacier d’Arolla, Valais, Switzerland, *Journal of Glaciology* **41**(139), 572–583.
- Khatwa, A., K., H. and Payne, A.: 1999, Grain textural analysis across a range of glacial facies, *Annals of Glaciology* **28**, 111–117.
- Knap, W. H.: 1997, *Satellite–derived and ground–based measurements of the surface albedo of glaciers*, PhD thesis, University of Utrecht.
- Knap, W. H., Brock, B. W., Oerlemans, J. and Willis, I.: 1999, Comparison of Landsat TM–derived and ground–based albedos of Haut Glacier d’Arolla, Switzerland, *International Journal of Remote Sensing* **20**(17), 3293–3310.
- Kulesa, B. and Hubbard, B.: 1997, Interpretation of borehole impulse tests at Haut Glacier d’Arolla, Switzerland, *Annals of Glaciology* **24**, 397–402.
- Kulesa, B., Hubbard, B. and Brown, G. H.: 2003a, Cross-coupled flow modeling of coincident streaming and electrochemical potentials and application to subglacial self-potential data, *Journal of Geophysical Research (Solid Earth)* **108**(B8), 9–1.
- Kulesa, B., Hubbard, B. and Brown, G. H.: 2003b, Time-lapse monitoring of subglacial drainage conditions using borehole electrical surveying, *AGU Fall Meeting Abstracts* pp. B397+.
- Kulesa, B., Hubbard, B., Brown, G. H. and Becker, J.: 2003, Earth tide forcing of glacier drainage, *Geophysical Research Letters* **30**, 11–1.
- Kulesa, B., Hubbard, B. P., Brown, G. H. and Becker, J.: 2001, Earth Tidal Controls on Basal Dynamics and Hydrology, *AGU Fall Meeting Abstracts* pp. A664+.
- Mair, D., Nienow, P., Sharp, M., Wohlleben, T. and Willis, I.: 2002, Influence of subglacial drainage system evolution on glacier surface motion: Haut Glacier d’Arolla, Switzerland, *Journal of Geophysical Research (Solid Earth)* **107**(B8), 8–1.

- Mair, D., Nienow, P., Willis, I. and Sharp, M.: 2001, Spatial patterns of glacier motion during a high-velocity event: Haut Glacier d'Arolla, Switzerland, *Journal of Glaciology* **47**(1), 9–20.
- Mair, D., Sharp, M., Willis, I. C. and Ian, C.: 2002, Evidence for basal cavity opening from analysis of surface uplift during a high-velocity event: Haut Glacier d'Arolla, Switzerland, *Journal of Glaciology* **48**(161), 208–216.
- Mair, D. W. F., Sharp, M. J. and Willis, I. C.: 2002, Evidence for basal cavity opening from analysis of surface uplift during a high-velocity event: Haut Glacier d'Arolla, Switzerland, *Journal of Glaciology* **48**, 208–216.
- Mitchell, A. and Brown, G. H.: 2001, Minor and trace element export from a glacierized alpine headwater catchment (Haut Glacier d'Arolla, Switzerland), *Hydrological Processes* **15**(18), 3499–3524.
- Mitchell, A. C., Brown, G. H. and Fuge, R.: 2004, The Application of a Speciation Mass-Balance Model (PHREEQCi) For Linking Subglacial Chemical Weathering Processes and Subglacial Hydrology, *AGU Spring Meeting Abstracts* pp. A3+.
- Munro, D. S.: 2005, A revised Canadian perspective: progress in glacier hydrology, *Hydrological Processes* **19**, 231–245.
- Nienow, P., Hubbard, A., Mair, D., Hubbard, B. and Sharp, M.: 2003, Mechanisms controlling the propagation of a glacier wide speed up event: Haut Glacier d'Arolla, Switzerland, *EGS - AGU - EUG Joint Assembly, Abstracts from the meeting held in Nice, France, 6 - 11 April 2003, abstract #11551* pp. 11551–+.
- Nienow, P., Sharp, M. and Willis, I.: 1996a, Temporal switching between englacial and subglacial drainage pathways: dye tracer evidence from the Haut Glacier d'Arolla, Switzerland, *Geografiska Annaler* **78A**(1), 51–60.
- Nienow, P., Sharp, M. and Willis, I.: 1998, Seasonal changes in the morphology of the subglacial drainage system, Haut Glacier d'Arolla, Switzerland, *Earth Surface Processes and Landforms* **23**, 825–843.
- Nienow, P. W., Sharp, M. and Willis, I. C.: 1996b, Velocity-Discharge Relationships Derived from Dye Tracer Experiments in Glacial Meltwaters: Implications for Subglacial Flow Conditions, *Hydrological Processes* **10**, 1411–1426.
- Pellicciotti, F., Brock, B., Strasser, U., Burlando, P., Funk, M. and Corripio, J.: 2003, A distributed temperature index melt model including albedo: application to Haut Glacier d'Arolla, *Geophysical Research Abstracts, abstracts of the EGS-AGU-EUG Joint Assembly Nice, France, 06 - 11 April 2003, Vol. 5, p. 09101*. <http://www.cosis.net/abstracts/EAE03/09101/EAE03-J-09101.pdf>.
- Pellicciotti, F., Brock, B., Strasser, U., Corripio, J., Burlando, P. and Funk, M.: 2003, The Distributed Application of an Enhanced Temperature-Index Melt Model Including Albedo and Global Radiation, *AGU Fall Meeting Abstracts* pp. B2+.
- Pellicciotti, F., Strasser, U., Brock, B., Burlando, P., Funk, M. and Corripio, J.: 2002, An Enhanced, Albedo Accounting Degree Day Melt Model for Distributed Application, *AGU Fall Meeting Abstracts* pp. A982+.
- Pellicciotti, F., Strasser, U., Burlando, P., Funk, M., Brock, B. and Corripio, J.: 2002, An Improved Degree-day Melt Model Considering Albedo, *EGS XXVII General Assembly, Nice, 21-26 April 2002, abstract #1033* **27**, 1033–+.

- Richards, K. S., Sharp, M., Arnold, N., Gurnell, A., Clark, M., Tranter, M., Nienow, P., Brown, G., Willis, I., and Lawson, W.: 1996, An integrated approach to modelling hydrology and water quality in glacierized catchments, *Hydrological Processes* **10**(4), 479–508.
- Sharp, M., Richards, K., Willis, I., Arnold, N., Lawson, W., Nienow, P. and Tison, J.-L.: 1993, Geometry, bed topography and drainage system structure of the Haut Glacier d’Arolla, Switzerland, *Earth Surface Processes and Landforms* **18**(6), 557–571.
- Sharp, M., Richards, K., Willis, I., Arnold, N. and Nienow, P.: 1993, Geometry, bed topography and drainage system structure of the Haut Glacier d’Arolla, Switzerland, *Earth Surface Processes and Landforms* **18**, 557–571.
- Sharp, M., Tranter, M., Brown, G. H. and Skidmore, M.: 1995, Rates of chemical denudation and CO₂ drawdown in a glacier-covered alpine catchment, *Geology* **23**(1), 61–64.
- Skidmore, M., Sharp, M., Tranter, M. and Bottrell, S.: 2003, Kinetic Fractionation of Carbon Isotopes During Carbonate Weathering in Glaciated Catchments: Implications for the Detection of Subglacial Microbial Activity, *AGU Fall Meeting Abstracts* .
- Strasser, U., Corripio, J., Pellicciotti, F., Burlando, P., Brock, B. and Funk, M.: 2004, Meteorological variables at Haut Glacier d’Arolla (Switzerland) during the ablation season 2001: measurements, spatial/temporal variabilites and simulations, *Journal of Geophysical Research* **109**(D03103), doi:10.1029/2003JD003973.
- Swift, D. A., Nienow, P. W., Hoey, T. B. and Mair, D. W. F.: 2005, Seasonal evolution of runoff from Haut Glacier d’Arolla, Switzerland and implications for glacial geomorphic processes, *Journal of Hydrology* **309**, 133–148.
- Swift, D. A., Nienow, P. W., Spedding, N. and Hoey, T. B.: 2001, Implications of Subglacial Drainage Configuration for Rates and Styles of Glacial Erosion, Sediment Transfer and Deposition, *AGU Fall Meeting Abstracts* pp. B10+.
- Swift, D., Nienow, P. and Hoey, T.: 2003, Controls on the efficiency of basal sediment evacuation at temperate glaciers and ice caps, *EGS - AGU - EUG Joint Assembly, Abstracts from the meeting held in Nice, France, 6 - 11 April 2003, abstract #12553* pp. 12553–+.
- Tranter, M., Sharp, M. J., Brown, G. H., Willis, I. C., Hubbard, B. P., Nielsen, M. K., Smart, C. C., Gordon, S., Tulley, M. and Lamb, H. R.: 1997, Variability in the Chemical Composition of in Situ Subglacial Meltwaters, *Hydrological Processes* **11**, 59–77.
- Tranter, M., Sharp, M. J., Lamb, H. R., Brown, G. H., Hubbard, B. P. and Willis, I. C.: 2002, Geochemical weathering at the bed of Haut Glacier d’Arolla, Switzerland - a new model, *Hydrological Processes* **16**, 959–993.
- Warburton, J.: 1990a, An alpine proglacial fluvial sediment budget, *Geografiska Annaler* **72A**(3-4), 261–272.
- Warburton, J.: 1990b, Comparison of bed load yield estimates for a glacial meltwater stream, in H. Lang and A. Musy (eds), *Hydrology in mountainous regions I*, IAHS Publication No 193, International Association of Hydrological Sciences, pp. 315–323.
- Warburton, J.: 1992, Observations of bed load transport and channel bed changes in a proglacial mountain stream, *Arctic and Alpine Research* **24**(3), 195–203.

- Warburton, J.: 1993, Energenetics of alpine proglacial geomorphic processe, *Transactions, Institute of British Geographers* **18**(2), 197–206.
- Warburton, J.: 1994, Channel change in relation to meltwater flooding, Bas Glacier d’Arolla, Switzerland, *Geomorphology* **11**(2), 141–149.
- Warburton, J. and Beecroft, I.: 1993, Use of meltwater stream material loads in the estimation of glacial erosion rates, *Zeitschrift für Geomorphologie* **37**(1), 19–28.
- Warburton, J. and Fenn, C. R.: 1994, Unusual flood events from an Alpine glacier: observations and deductions on generating mechanism, *Journal of Glaciology* **40**(134), 176–186.
- Willis, I., Arnold, N., Sharp, M., Bonvin, J. M. and Hubbard, B. P.: 1998, Mass balance and flow variations in Haut Glacier d’Arolla, Switzerland, calculated using digital terrain modelling, in S. Lane, K. Richards and J. Chandlers (eds), *Landform monitoring, modelling and analysis*, Wiley, Chichester, pp. 343–362.
- Willis, I. C., Arnold, N. S. and Brock, B. W.: 2002, Effect of snowpack removal on energy balance, melt and runoff in a small supraglacial catchment, *Hydrological Processes* **16**, 2721–2749.
- Willis, I., Mair, D., Hubbard, B., Fischer, U. H., Nienow, P. and Hubbard, A.: 2002, Seasonal Variations In Ice Deformation and Basal Motion, Haut Glacier D’arolla, Switzerland, *EGS XXVII General Assembly, Nice, 21-26 April 2002, abstract #2153* **27**, 2153–+.
- Willis, I., Mair, D., Hubbard, B., Nienow, P., Fischer, U. H. and Hubbard, A.: 2003, Seasonal variations in ice deformation and basal motion across the tongue of Haut Glacier d’Arolla, Switzerland, *Annals of Glaciology* **36**, 157–167.